

Exam 000-150 study material

Made available by Examsexpert.com



Free 000-150 Exam Preparation Questions

Exam 000-150: J2EE v1.4 Web Developer

Question: 1

At the top of a JSP page the following directive appears:

```
<%@page isErrorPage="true"%>
```

What does this indicate about the JSP?

- A. That an exception will be thrown within the JSP page
- B. That the JSP page will have access to an implicit object called exception
- C. That any exceptions thrown within the JSP page should be ignored
- D. That if any errors or exceptions occur within the current JSP page, they will be handled by another JSP page

Answer: B**Question: 2**

A servlet instantiates a JavaBean and stores it in the ServletContext object using the following code:

```
com.mybean.Employee worker = new com.mybean.Employee();
```

```
servletContext.setAttribute("employee", worker);
```

The servlet then returns a response to the client that subsequently makes another request to a JSP page in the same Web application. Which of the following allows the JSP page to retrieve the JavaBean?

- A. `<jsp:useBean id="employee" class="com.mybean.Employee" scope="servletcontext" />`
- B. `<jsp:useBean id="employee" class="com.mybean.Employee" scope="session" />`
- C. `<jsp:useBean id="employee" class="com.mybean.Employee" scope="request" />`
- D. `<jsp:useBean id="employee" class="com.mybean.Employee" scope="application" />`

Answer: D**Question: 3**

What is the result of using the following action tag in a JSP page?

```
<jsp:getProperty name="employee" property="lastname" />
```

- A. The value of the lastname variable in the employee bean is placed in the output stream.
- B. A request parameter named employee is retrieved and placed in a scripting variable called lastame.
- C. The value of a parameter named lastname in an HTML form named employee is retrieved from the request object.
- D. The value of the lastname variable in the employee bean is associated with a scripting variable in the JSP page to be used for future processing.

Answer: A**Question: 4**

A JSP developer needs to import the java.util.ArrayList class. What is the correct JSP syntax to import this class?

- A. `<% import java.util.ArrayList; %>`
- B. `<%! import java.util.ArrayList; %>`
- C. `<%@import class="java.util.ArrayList" %>`
- D. `<%@page import="java.util.ArrayList" %>`

Answer: D**Question: 5**

Which Web services specification describes the interface of a Web service?

- A. UDDI
- B. SOAP
- C. WSDL
- D. ebXML

Answer: C

Question: 6

An application is designed to allow a customer to order concert tickets through a Web service. If all other factors are identical, which scenario is LEAST likely to be appropriate for this application?

- A. Asynchronous Messaging
- B. Request/Response
- C. Remote Procedure Call
- D. Conversational Message Exchange

Answer: A

Question: 7

All of the following are major elements used to define a service in WSDL EXCEPT:

- A. Types
- B. Message
- C. PortType
- D. Namespace

Answer: D

Question: 8

All of the following are faultcode values defined in the SOAP 1.1 specification EXCEPT:

- A. VersionMismatch
- B. MustUnderstand
- C. Client
- D. Network

Answer: D

Question: 9

A Web banking application assigns a unique transaction number to every online banking operation. A servlet acquires the transaction number with the following line of code:

```
Long transactionId = transactionIdGenerator.getNext TransactionId();
```

Upon completion of the banking operation, the servlet forwards the request to a JSP that displays the transaction number in the confirmation response. What is the BEST way for the servlet to ensure that every banking operation has a unique transaction number?

- A. Use transactionId only as local variable in methods of the servlet class and store it in the HttpSession object.
- B. Ensure only one transaction ID is ever stored in the HTTP session and exists only while the request is being processed.
- C. Declare the servlet to implement Single ThreadModel and store transactionId in the HttpSession object.
- D. Declare transactionId as an instance variable of the servlet class and store it in the HttpSession object.

Answer: B

For complete [Exam 000-150 Training kits and Self-Paced Study Material](http://www.Examexpert.com/000-150.html)

Visit:

<http://www.Examexpert.com/000-150.html>



For Latest 000-150 Exam Questions and study guides- visit- <http://www.Examexpert.com/000-150.html>