

Exam 000-314 study material

Made available by Examsexpert.com



Free 000-314 Exam Preparation Questions

Exam 000-314: IBM Tivoli Storage Manager V5.5 Administration

Question: 1

Which command allows the allocation of space and creation of a database volume in a single command?

- A. dsmfmt dbvol d:\dbvol\db1.dsm formatsize=100
- B. define dbvolume d:\dbvol\db1.dsm formatsize=100
- C. dsmfmt dbv d:\dbvol\db1.dsm size=100
- D. define volume d:\dbvol\db1.dsm type=db formatsize=100

Answer: B

Question: 2

Which client option must be set to enable the client web interface?

- A. domain
- B. enableweb
- C. URLaddress
- D. passwordaccess generate

Answer: D

Question: 3

Which file is important for Disaster Recovery and needs to be stored safely off-site or on another server daily?

- A. DRMCMD file
- B. DRMSTATUS file
- C. Recovery Plan file
- D. DSMSERV.OPT file

Answer: C

Question: 4

When would a database mirror volume be formatted?

- A. when mirror is out of sync
- B. when there is no space available
- C. when mirror volume is pre-defined
- D. when a volume needs to be added to the TSM database

Answer: D

Question: 5

You want to use just one command to associate all of the nodes in the domain UNIX_DOM to the schedule MONTHLY_INC. Which TSM administrative command accomplished this?

- A. ASSOCIATE SCHED * MONTHLY_INC UNIX_DOM
- B. ASSOCIATE SCHED UNIX_DOM MONTHLY_INC *
- C. DEFINE ASSOCIATION UNIX_DOM MONTHLY_INC *
- D. DEFINE ASSOCIATION * MONTHLY_INC UNIX_DOM

Answer: C

Question: 6

What does the RETMIN parameter in the archive copy group specify?

- A. the minimum number of days an object is retained after an object is archived, when RETINIT is set to CREATION
- B. the minimum number of versions of an object that will be retained in server storage
- C. the minimum number of days an object is retained after an event trigger is issued for files that are managed by event-based retention
- D. the minimum number of retries that will occur before an archive operation fails

Answer: C

Question: 7

From which location is the DEFINE LOGVOLUME command issued?

- A. the Backup-Archive GUI
- B. the Backup-Archive command line

For Latest 000-314 Exam Questions and study guides- visit- <http://www.Examsexpert.com/000-314.html>

- C. the operating system command line
- D. the TSM administrative command line

Answer: D

Question: 8

A client tries to process a schedule and receives a message that all sessions are in use. What can be done to fix this problem?

- A. change the schedmode to distributed
- B. change the schedmode to server prompted
- C. decrease randomization to 0% and increase the resource utilization parameter on the client
- D. increase randomization up to 50% and increase the percentage of scheduled sessions allowed, to make sure the server can handle the workload

Answer: D

Question: 9

An administrator is attempting to define a storage pool to back up a large number of clients with small files. Which storage pool should the administrator define first?

- A. a disaster recovery storage pool
- B. a primary random access storage pool
- C. a sequential access copy storage pool
- D. an active data storage pool

Answer: B

Question: 10

Which two options must be defined to create large, sequential access file-type storage pools? (Choose two.)

- A. device type
- B. device class
- C. device model
- D. device location
- E. device element number

Answer: A, B

Question: 11

The TSM storage administrator develops a useful SQL SELECT statement to report the number of tape volumes that need to go off-site. This SELECT command is 150 characters long, which makes it difficult to enter each time a report needs to be run. What can the administrator do?

- A. run the DEFINE SQL command to store the SELECT command in the TSM database
- B. run the DEFINE SCRIPT command to store the SELECT command in the TSM database
- C. use the HISTORY command to recall the command from when it was entered previously
- D. type the full SELECT statement each time, since there is no way to store commands in TSM

Answer: B

Question: 12

An administrative schedule should be used in many cases to alleviate the common tasks a TSM storage administrator is required to perform. How should the TSM administrative schedule be used?

- A. to run macros
- B. to register new clients
- C. to query the activity log
- D. to back up a storage pool

Answer: D

Question: 13

The TSM storage administrator notices that the recovery log is in oll forward mode. The recovery log is approaching 94% utilization. The TSM administrator added another recovery log volume and extended it. What must be done in order to provide an extra level of protection in the event of a crash?

For Latest 000-314 Exam Questions and study guides- visit- <http://www.Examsexpert.com/000-314.html>

- A. backup the TSM database
- B. backup all the storage pools
- C. backup the volume history file
- D. backup the device configuration file

Answer: A

Question: 14

The UNIX system administrator wants to know which client options are being set centrally from the TSM server. Which TSM server command should the storage administrator issue to find out this information after first reviewing the output of QUERY NODE F=D?

- A. QUERY STATUS
- B. QUERY OPTIONSET F=D
- C. QUERY CLOPTSET
- D. QUERY CLIENTOPT

Answer: C

Question: 15

After a library or tape drive problem has been resolved and any stuck tapes are returned to the library, which three actions may be performed on the TSM server to make the tape drives useable? (Choose three.)

- A. MOVE MEDIA
- B. UPDATE PATH
- C. UPDATE DRIVE
- D. AUDIT LIBRARY
- E. UPDATE LIBRARY
- F. UPDATE DEVCLASS

Answer: B, C, D

Question: 16

Which client parameter contains the IP address of the TSM server?

- A. TCPSERVERADDRESS
- B. IPADDRESS
- C. TSMSERVERADDRESS
- D. TSMHOSTNAME

Answer: A

Question: 17

A backup operator informs the storage administrator that there were errors during the midnight backup two days ago. The operator does not remember all the errors shown on the TSM console. Which command identifies the errors that occurred that day?

- A. q act search=error
- B. q act begint=00:01
- C. q act beginind=-2 begint=-24
- D. q act beginind=-2 begint=00:01

Answer: D

Question: 18

In which situation is the TSM journal based backup facility recommended for use in order to improve TSM client backup performance?

- A. on any TSM client where the number of objects inspected is very high
- B. on Windows or AIX client nodes where there are a large number of files, but only 5% - 10% of data changes daily
- C. on Windows client nodes where the average file size is small and the transaction size needs to be made larger
- D. on Linux clients where retries are slowing down the backup due to open files

Answer: B

Question: 19

The TSM server is not running. Based on the errors, the problem appears to be a full TSM recovery log. Which two commands are required to perform an emergency increase of the TSM recovery log? (Choose two.)

- A. DSMFMT
- B. DSMLABEL
- C. DSMFORMAT
- D. DSMSERV EXTEND LOG
- E. DSMSERV DEFINE LOGVOLUME

Answer: A, D

Question: 20

A 32-bit Windows 2003 server drive has 7,000,000 files totaling 50 GB of data and uses Gbit ethernet. Which TSM backup methodology will provide the fastest backup performance if you need to ensure you have the latest copy of all the files on the drive?

- A. image based backup
- B. incremental backup
- C. adaptive subfile differencing
- D. selective backup

Answer: A

For complete [Exam 000-314 Training kits and Self-Paced Study Material](http://www.Examexpert.com/000-314)

Visit:

<http://www.Examexpert.com/000-314.html>

