

Exam 9A0-602 study material

Made available by Examsexpert.com



Free 9A0-602 Exam Preparation Questions

Exam 9A0-602: Certified Macromedia Flash MX 2004

Question: 1

What code displays the current date (based on the user's clock setting) formatted like "3/31/2004" in the dynamic text field instance named "my_txt"?

- A. var d:Date = new Date(); my_txt.text = d.getMonth()+"/"+d.getDate()+"/"+d.getYear();
- B. var d:Date = new Date(); my_txt.text = d.getMonth()+1+"/"+d.getDate()+1+"/"+d.getYear();
- C. var d:Date = new Date(); my_txt.text = (d.getMonth()+1)+"/"+(d.getDate()+1)+"/"+d.getFullYear();
- D. var d:Date = new Date(); my_txt.text = (d.getMonth()+1)+"/"+d.getDate()+"/"+d.getFullYear();

Answer: D

Question: 2

What ActionScript commands allow sending data out of a Flash application to a server-side application? (Choose TWO)

- A. getURL
- B. onSend
- C. onLoad
- D. loadData
- E. loadMovie

Answer: A, E

Question: 3

What type of data is best suited for use with XML functions instead of loadVariables?

- A. Single value
- B. External MovieClip
- C. Complex hierarchical data
- D. Flat list of name-value pairs

Answer: C

Question: 4

Given the code:

```
function multiply(a:Number, b:Number):Number { if(isNaN(a) || isNaN(b)) { throw new Error("Invalid datatype"); } else if(a == null) { throw new Error("a is null"); } else if(b == null) { throw new Error("b is null"); } else { return (a * b);} } try { trace(multiply(1, null)); } catch (erExeption:Error) { trace(erExeption.message); }
```

What is displayed in the Output panel?

- A. 1
- B. NaN
- C. A is null
- D. B is null
- E. Invalid datatype

Answer: E

Question: 5

What method of the Color object is used to change the Alpha property of a movie clip with ActionScript?

- A. _alpha
- B. setRGB
- C. setProperty
- D. setTransform

Answer: D

Question: 6

What is the value for "answer"?

```
function power(n,p) { if (p==1) { result = p; } else { result = p*power(n,p-1); } return(result); } answer = power(3,2);
```

- A. 0
- B. 1
- C. 2
- D. 6
- E. 9

Answer: C

Question: 7

What type of resource can Flash MX 2004 natively use to retrieve dynamic data? (Choose TWO)

- A. Text files
- B. XML files
- C. Java class files
- D. XSL documents
- E. Oracle database

Answer: A, B

Question: 8

What native object allows two separate Flash movies to communicate with each other?

- A. LocalObject
- B. SharedObject
- C. LocalConnection
- D. SharedConnection

Answer: C

Question: 9

What is the value of y?

```
x = 3; y = x--;
```

- A. -3
- B. 2
- C. 3
- D. Syntax error

Answer: C

Question: 10

Where must ActionScript 2 classes be located?

- A. components
- B. external files
- C. frame 1 of _root
- D. top layer of timeline

Answer: B

Question: 11

What is used to create frame rate independent script-based animations?

- A. While
- B. Setinterval
- C. Gotoandplay
- D. Onenterframe

Answer: B

Question: 12

What defines a class member within an ActionScript 2 class that is NOT accessible to instances of the class?

- A. `hide var _nCount;`
- B. `class var _nCount;`
- C. `static var _nCount;`
- D. `private var _nCount;`
- E. `protected var _nCount;`

Answer: D

Question: 13

What ActionScript error will occur for the code below?

```
function snap { k = 42 % 0;  
}
```

- A. % is not a valid operator
- B. Function must return a value
- C. Function declarations missing parenthesis
- D. There is no exception processing for a division by zero error

Answer: C

For complete [Exam 9A0-602 Training kits and Self-Paced Study Material](http://www.Examsexpert.com/9A0-602.html)

Visit:

<http://www.Examsexpert.com/9A0-602.html>



www.Examsexpert.com



For Latest 9A0-602 Exam Questions and study guides- visit- <http://www.Examsexpert.com/9A0-602.html>